

#### Lata Mangeshkar Medical Foundation's

## Deenanath Mangeshkar Hospital & Research Center

Erandawane, Pung 411 004. Tel.: 020 40151000 / 49153000 Email: info@dmhospital.org, Website: www.dmhospital.org



# Joint Replacement and Reconstruction Discharge Summary

Patient Name: Mr. KUMBHAR SAURABH

LAXMAN

Date Of Birth: 25/04/1981

Sex: Male

Visit Code: IP0001

**DOA:** 20/02/2025

DOD: 24/02/2025

MRD#: 1443919

Room/Bed No.: SS12C - 4238

Consultant: Dr. KULKARNI MAHESH Reference: DR. SUKRUT PURANDARE

Diagnosis: Osteoarthritis of Both hip secondary to Avascular necrosis of femur head

Clinical course and Event:

C/O:Pain in both hip (left >right), difficulty in walking, climbing stairs.

No comorbidities

O/E: Vitals - Normal, RS - Clear, CVS - NAD, P/A - Soft.

L/E:TENDERNESS - GT, AJLT

RANGE OF MOTION

**RIGHT** 

LEFT

- FLEXION 0-800-80- EXTENSION

- ABDUCTION 0-10(PAINFUL) 0-10(PAINFUL) - ADDUCTION 0-10(PAINFUL) 0-10(PAINFUL) - INTERNAL ROTATIONS 0-5 (PAINFUL) 0-5 (PAINFUL) - EXTERNAL ROTATIONS 0-15(PAINFUL) 0-15(PAINFUL)

LLD - NO

SPINE EXAMINATION N PERIPHERAL PULSES NEUROLOGY N

ASA Grade:

2

Pre op Hb: 16.2 **Pre op PCV: 48.7** Pre op Sr Creat: 1 Pre op HbA1C: 5.9 Pre op EF: 60% **Post op Hb:** 11.9 Post op PCV: 40

Post op Sr Creat: 1.1 Advice on Discharge:


-+: T. PACIMOL 650 mg 1-1-1-1 x 15 days then 1-1-1 x 15 days then 1-0-1 x 15 days

2. T\_PAN D 1-0-0 x 30 days

3. T. ULTRACET 1-1-1 x 15 days then 1-0-1 x 15 days

4. T. LYRICA 75 mg 0-0-1 x 30 days

5<sub>h</sub>T. XARELTO 10 mg 1-0-0 x 35 days



Staple Removal on: 20/02/2025

Physiotherapy for 1 month after discharge:

Next follow up at Deenanath Mangeshkar Hospital, Pune 1 MONTH

With: Dr. Mahesh Kulkarni

By prior Appointment only. For appointment call 020-40151100 between 9 AM - 6 PM

ON Call no: For Dr. Mahesh Kulkarni: 9637541165.

In case of emergency please come to DMH ER 1 (Emergency Room). It is open 24 hours a day. Phone no.: 020-4015-1027 / 1065.

#### OPERATIVE NOTE

## Pre-operative Antibiotics:

Inj. SUPACEF 1.5gm IV

Operative Procedure: Bilateral Total Hip Replacement-Uncemented

Date of Surgery:21/02/2025 Type of Anaesthesia:SA+LA Anaesthetist:Dr.Jitendra Kshirsagar

Prosthesis Used - Depuy, Pinnacle, actis, USA

Side - Right Left
Acetabular Cup 54 POROCOAT 52 mm POROCOAT
Liner size 36 Lip ALTRX 36 Lip ALTRX
Femoral stem 6 ACTIS COLLAR 6 ACTIS COLLAR
Femoral Head 36 mm (+1.5) 36 mm (+1.5)

#### **Post Operative Course:**

Post operative pain controlled WITH LOCAL infiltration.

Inj. Supacef 750 mg IV X 2 doses. ALL physiotherapy goals achieved.

Foleys cathether: No

ICU STAY: No

Blood Tranfusion: No

## General advice after discharge:

List of Emergencies:

Fever, swelling, bleeding, redness, calf swelling, tightness, pain. Please come to hospital for urgent medical attention.

- 1. Not to wet the wound after surgery till sutures are removed.
- 2. Routine physiotherapy as per advice.
- 3. Start walking outdoor by 3 weeks.

Com

Name:Mr. KUMBHAR SAURABH LAXMAN

MRD No:1443919

2/3



4. Driving can be started after 6 weeks.

5. Do not start antibiotics on suspicion of infection without consulting the operating surgeon. Report to Deenanath Hospital joint replacement department.

6 Review with Dr. Mahesh Kulkarni after 1 month with prior appointment.

### Special needs

Physiotherapy:

For 1 month at home after surgery

Pain Relief:

Pain killers for 2 weeks, then as and when required

Dressing:

To be changed if soaked more than 50% in fresh blood

Name of Dr: AJAY A

Date: 24/02/2025

Designation: Registrar

Investigation attached separately:

Please bring this card for Follow up:



