

Lata Mangeshkar Medical Foundation's

Deenanath Mangeshkar Hospital & Research Center

Erandawane, Pune 411 004, Tel.: 020 40151000 7 49153000 Email: info@dmhospital.org, Website: www.dmhospital.org



ORTHOPEDIC DISCHARGE SUMMARY

Patient Name: Mrs. ALANGE PRATIMA

BALASAHEB

Date Of Birth: 11/06/1980

Visit Code: IP0001

MRD#: 1466973

Sex: Female

Age: 44Y 8M 3D

Consultant: Dr. DESHPANDE SHANTANU Speciality: JOINT REPLACEMENT

Joint Care Dr.: NA

Referrd To:

Hospital physiotherapist

Date of Admission: 08/02/2025

Ward/Bed No. 4 D - 439

Date of Procedure 11/02/2025

Date of Discharge: 13/02/2025

Blood Group: O+

DISCHARGING STATUS: NORMAL DISCHARGE AS PER CONSULTANT ADVICE

GENERAL ORTHOPEDICS

Final Diagnosis:

Right proximal tibial fracture

Classification of Fracture: Applicable

41-Tibia/fi bula proximal:

41-B3-split-depression

Drug Allergies:

Tramadol

History of Present Illness:

H/o fall from bike today

H/o patella fractured treated with K wire in past

Recently had knee arthroscopic surgery for meniscal tear as well

C:/o severe pain swelling difficulty in walking

Clinical Course & Event:

Patient underwent right proximal tibia mippo plating, CC screw fixation Surgery went uneventful. Shifted to ward. Patient developed post op tingling and numbness over plantar aspect of right foot on pod 1. Gradual improvement of Sensations noted in Remainder of hospital stay. Remainder of

Discharge Medication:

ORTHO:

TAB ZOCEF 500MG 1-01 FOR 5 DAYS - COVAH

BBF - JAB PAN 40 MG 1-0-0 FOR 7 DAYS

TAB CALPOL 650MG 1-1-1 FOR 7 DAYS - Pacimo TAB RIVABAN 10 0-0-1 FOR 21 DAYS - 20

TAB VOVERAN 75MG SOS for pain

TAB DISPERZYME 1-1-1 * 10 DAYS

MRD No:1466973

Name:Mrs. ALANGE PRATIMA BALASAHEB



Clinical Examination:

O/e deep abrasion anterior knee around patella and laterally proximal tibia

No active bleeding swelling ++ calf supple distal pulse palpable

Tenderness+++ over right knee

Knee ROM difficult to elicit due to pain

Dorsalis pedis palpable

Active ankle, Toe movements and sensations normal

Investigations:

Enclosed

Operative Procedure:

Right proximal tibia Mippo plating, CC screw fixation

Name of Implant:

7mm CC screw with washer

3.5mm cortical screw (1)

Construct completed with 3.5mm locking screws (8)

8 hole lateral column anatomical proximal tibia plate

Implant Manufacturer:

Auxien

Post Operative Course:

Patient tolerated procedure well

Important investigations (Only relevant to Treatment):

X-ray show lateral tibial condyle fracture depressed fragment plus split

Advice on Discharge:

Do not sit cross legged on floor

Use walker

Physiotherepy Instruction:

In bed exercises done

Bed side sitting exercises with assisted quads

Non weight bearing ambulation done with walker support

Chair transfer

Knee ROM exercises

Special needs:

Emergency Symptoms:

bleeding, increase in pain and soakage at operated site, loss of movement and sensation of affected Chest pain, breathlessness

Plaster Care:

NA

K-wire care:

NA

External fixator care:

Wound/Dressing care:

Keep dressing clean and dry Do not remove

Orthosis:

Walker

Long knee brace

MRD No:1466973

Name:Mrs. ALANGE PRATIMA BALASAHEB

Radiology follow up:

NA

Surgical Procedures:

NA

Suture removal at home on 25/02/2025

Contact homecare services

25/02/2025

Primary Consultant follow up:

Next follow-up with Dr Shantanu Deshpande in joints OPD on 25/03/2025 at 10am

Follow up Date: 25/03/2025

Number of emergency room No: 020 40151027, 020 40151067

✗Number of Homecare service:

020 40151087

SIGNED BY: Dr. DESHPANDE SHANTANU PREPARED BY: DR.KEDAWAT KARTIK

PP-020-40151100.

MRD No:1466973